


M-SERIES

HYDRAULIC AUGER DRIVES

M-Series Hydraulic Auger Drives are engineered to deliver the same unrelenting power and performance as our flagship H-Series Hydraulic Auger Drives but in a condensed form. With that kind of power, you'll make short work of drilling under the harshest conditions.



CUTTING EDGE COMPONENTS




Parker hydraulic motors, Auburn Gear planetary drives, Mobilube HD Plus gear oil—when it comes to assembling the M-Series powertrain, we only use the best products from the leading names in America.

HEAVY-HITTING PLANETARY DRIVE



The core of an M-Series auger drive is its unrivaled, heavy-hitting planetary drive built with ultra-precise, robust, and fully sealed gearing. Expect plenty of torque to finish jobs fast.

THE RIGHT TOOL FOR THE JOB



Belltec offers the most comprehensive lineup of performance augers on the market. Match an M-Series auger drive with the right Belltec auger, and you'll maximize the benefits of using a top-rated auger drive.



Attachment options are available for all modern equipment.

M-SERIES

HYDRAULIC AUGER DRIVES

M-Series Hydraulic Auger Drives are available in four models for auxiliary hydraulic systems that operate between 6 and 35 GPM and up to 3500 PSI. Contact a Belltec representative or visit your Belltec dealer to discuss which M-Series model will best suit your equipment.

WHICH ONE WORKS FOR YOU?

M-200 M-300 M-350



SPECIFICATIONS			
ATTRIBUTE	M-200	M-300	M-350
Min./Max. Fluid Flow Limits	10 GPM - 20 GPM	15 GPM - 30 GPM	20 GPM - 35 GPM
Max. Continuous Pressure	3000 PSI	3000 PSI	3000 PSI
Max. Intermittent Pressure	3500 PSI	3500 PSI	3500 PSI
Max. Auger Dia. Dirt/Rock	30 in/24 in	36 in/36 in	36 in/36 in

SPEED OUTPUT*			
FLOW	M-200	M-300	M-350
10 GPM	43 RPM	—	—
15 GPM	65 RPM	45 RPM	—
20 GPM	86 RPM	60 RPM	50 RPM
25 GPM	—	75 RPM	62 RPM
30 GPM	—	90 RPM	75 RPM
35 GPM	—	—	87 RPM

TORQUE OUTPUT*			
PRESSURE	M-200	M-300	M-350
2000 PSI	1420 ft. lbs.	2041 ft. lbs.	2459 ft. lbs.
2500 PSI	1776 ft. lbs.	2550 ft. lbs.	3075 ft. lbs.
3000 PSI	2131 ft. lbs.	3062 ft. lbs.	3688 ft. lbs.
3500 PSI	2486 ft. lbs.	3572 ft. lbs.	4303 ft. lbs.

*All values are theoretical. Actual performance may vary.



THE BEST WARRANTY IN ITS CLASS

We offer the leading warranties in the industry, not just to give our customers peace of mind, but as a testament to our workmanship. We count on the hardworking people who use our products to grow our food, construct our buildings, maintain our infrastructure, and fill other essential roles. They deserve the best tools for the job backed by our commitment to exceptional service.



inquiry@belltec.net • 1-800-242-9410 • www.belltec.net